



PREVALENT MEDICAL CONDITION — TYPE 1 DIABETES Plan of Care					
		STUDE	NT INFORMATION		_
Student Na	ne	Date Of Birt	h		
Ontario Ed.	#	Age		Student Photo (optic	onal
Grade		Teacher(s	3)		
	E		ACTS (LIST IN PRIO	RITY)	
NAME		RELATIONSHIP	DAYTIME PHONE	ALTERNATE PHONE	
1.					
2.					
3.					

TYPE 1 DIABETES SUPPORTS

Names of trained individuals w	ho will provide support with	diabetes-related tasks: (e.g.	designated
staff or community care allies.)		· -	

Method of home-school communication: _____

Any other medical condition or allergy? _____

DAILY/ROUTINE TYPE 1 DIABETES MANAGEMENT

Student is able to manage their diabetes care independently and does not require any special care from the school.

Yes 🗖 No

☐ If Yes, go directly to page five (5) — Emergency Procedures

ROUTINE	ACTION
BLOOD GLUCOSE MONITORING	Target Blood Glucose Range
Student requires trained individual to check BG/ read meter.	Time(s) to check BG:
Student needs supervision to check BG/ read meter.	Contact Parent(s)/Guardian(s) if BG is:
Student can independently check BG/ read meter.	Parent(s)/Guardian(s) Responsibilities:
Student has continuous glucose monitor (CGM)	School Responsibilities:
★ Students should be able to check blood glucose anytime, anyplace, respecting their preference for privacy.	Student Responsibilities:
	Page 2 of 2

NUTRITION BREAKS	Recommended time(s) for meals/snacks:
Student requires supervision during meal times to ensure completion.	Parent(s)/Guardian(s) Responsibilities:
Student can independently manage his/her food intake.	School Responsibilities:
* Reasonable accommodation must be made to allow student to eat all of the provided meals and snacks on time. Students should not trade or share food/snacks with other students.	Student Responsibilities: Special instructions for meal days/ special events:

ROUTINE	ACTION (CONTINUED)		
INSULIN	Location of insulin:		
 Student does not take insulin at school. Student takes insulin at school by: Injection Pump Insulin is given by: Student Student with supervision Parent(s)/Guardian(s) Trained Individual 	Required times for insulin: Before school: Lunch Break: Other (Specify): Parent(s)/Guardian(s) responsibi School Responsibilities:	Morning Break: Afternoon Break: Ities:	

★ All students with Type 1 diabetes use insulin. Some students will require insulin	Student Responsibilities:
during the school day, typically before meal/nutrition breaks.	Additional Comments:
before meal/nutrition breaks. ACTIVITY PLAN Physical activity lowers blood glucose. BG is often checked before activity. Carbohydrates may need to be eaten before/after physical activity. A source of fast-acting sugar must always be within students' reach.	Please indicate what this student must do prior to physical activity to help prevent low blood sugar: 1. Before activity:
	extracurricular, Terry Fox Run)

ROUTINE	ACTION (CONTINUED) Page 5 of 5	

DIABETES MANAGEMENT KIT	Kits will be available in different locations but will include:
Parents must provide, maintain, and refresh supplies. School must ensure this kit is accessible all times. (e.g. field trips, fire drills, lockdowns) and advise parents when supplies are low.	 Blood Glucose meter, BG test strips, and lancets Insulin and insulin pen and supplies. Source of fast-acting sugar (e.g. juice, candy, glucose tabs.) Carbohydrate containing snacks Other (Please list)

e.	
SPECIAL NEEDS	Comments:
A student with special considerations may require more assistance than outlined in this plan.	
	EMERGENCY PROCEDURES
HYP	OGLYCEMIA – LOW BLOOD GLUCOSE
	(4 mmol/L or less)
	DO NOT LEAVE STUDENT UNATTENDED
1	
II.	"
	د
	Page 7 of 7

ĸ				
· · · · · · · · ·				
Usual symptoms of Hypoglycer	nia for my child are:			
 ☐ Shaky ☐ Irritable/Grouch ☐ Blurred Vision ☐ Headach ☐ Pale ☐ Confused ☐ Confused 		eak/Fatigue		
skittles) 2. Re-check blood glucose 3. If still below 4 mmol/L, re	vegrams of fast actin	g carbohydrate (e.g. ½ cup of juice, 15 is above 4 mmol/L. Give a starchy way.		
Steps for <u>Severe</u> Hypoglycemia Place the student on their si 2. Call 9-1-1. Do not give for medical personnel arrive 3. Contact parent(s)/guardi	de in the recovery position. bod or drink (choking hazard) es.	. Supervise student until emergency		
HYPE	RGLYCEMIA — HIGH BLOO (14 MMOL/L OR AE			
Usual symptoms of hyperglycer	•			
 Extreme Thirst Hungry Warm, Flushed Skin Steps to take for <u>Mild</u> Hyperglyddiadau 	 Abdominal Pain Irritability 	 Headache Blurred Vision Other: 		
 Allow student free use of ba Encourage student to drink Inform the parent/guardian in 	throom water only			
Symptoms of Severe Hyperglycemia (Notify parent(s)/guardian(s) immediately) Rapid, Shallow Breathing D Vomiting D Fruity Breath				
 Steps to take for <u>Severe</u> Hyperglycemia 1. If possible, confirm hyperglycemia by testing blood glucose 2. Call parent(s)/guardian(s) or emergency contact 				
	Page 8 of 8			

HEALTHO	ARE PROVI	DER INFOR	MATION (OPTIONAL)
Healthcare provider may i Respiratory Therapist, Certi	-		ctitioner, Registered Nurse, Pharmacist, Certified Asthma Educator.
Healthcare Provider's Name	e:		
Profession/Role:			
Signature:		Date:	
Special Instructions/Notes/F	Prescription Lab	oels:	
or which the authorization t	o administer ap	plies, and pos	ency and method of administration, dates sible side effects. ges to the student's medical condition.
	AUTHORIZ	ATION/PLA	NREVIEW
INDIVIDUALS	WITH WHOM	THIS PLAN O	F CARE IS TO BE SHARED
I	2		3
4.	5.		6
Other individuals to be cont			
iter-School Program	🗖 Yes	🗖 No	
School Bus Driver/Route # (If Applicable) _		
Other:			
reviewed on or before:	onsibility to noti		bol year without change and will be (It is the if there is a need to change the plan of
Parent(s)/Guardian(s):	Signature		Date:
Student:	Signature		Date:

			•
Principal:	Signature	Date:	